

i-slab S L M designed by ANDREA











Our "i-slab SLIM" Tiles, The category of homogeneous products, "Color Body" is widely appreciated by Architects and interior Designers due to its versatile uses and applications.

This series is our most exciting series of homogeneous products yet. The beauty of products is the result of innovative and exclusive technology.

The collection consists of three sophisticated designs each.

All designs are available in a glossy finish.

1200 x 1600 mm

15 MM
Thickness









FROST RESISTANT



SCRATCH RESISTANT





WATER RESISTANT





EASY TO CLEAN







CHEMICAL RESISTANT

APPLICATIONS







AIRPORT

DISCOTHEQUES INDUSTRIES







PUBS & BARS CYMNASIUMS



SCHOOLS



HOTELS



CORRIDORS HALLS



DOMESTIC



SUPER MARKET



OFFICE






1200x1600 mm

± 15 mm Thickness

BLUE PEARL







SMART MARBLE

Applications :











Color Palette: Body Color: BLACK






1200x1600 mm

 $\stackrel{\downarrow}{\uparrow}$ **15 mm** Thickness

FOREST GREEN








SMART MARBLE














1200x1600 mm

 $\stackrel{\downarrow}{\uparrow}$ **15 mm** Thickness

PORTORO BLACK







SMART MARBLE











Color Palette: Body Color: **BLACK**





1200x1600 mm

 $\stackrel{\downarrow}{\uparrow}$ **15 mm** Thickness

ARMANI BEIGE























1200x1600 mm

 $\stackrel{\downarrow}{\uparrow}$ **15 mm** Thickness

BOTTOCHINO







SMART MARBLE

Applications :









INDOOR WALL OUTDOOR FLOOR

Color Palette:



Body Color: CREAM



1200x1600 mm

[⊥] 15 mm Thickness

BRECCIA AURORA







SMART MARBLE

Applications :













Body Color: CREAM

Color Palette:





1200x1600 mm

± 15 mm Thickness

BRECCIA ONICIATA








SMART MARBLE











Color Palette: Body Color: **CREAM**





1200x1600 mm

[⊥] 15 mm Thickness

BRONZETTO BEIGE







SMART MARBLE

Applications :











Color Palette:

Body Color: CREAM

INDOOR FLOOR INDOOR WALL OUTDOOR FLOOR





1200x1600 mm

[⊥] 15 mm Thickness

CLASSICT DYNA







SMART MARBLE











Color Palette:

Body Color: CREAM

INDOOR WALL OUTDOOR FLOOR





1200x1600 mm

[⊥] 15 mm Thickness

DANISH CREAM



SMART MARBLE

Applications :









OOOR WALL



Color Palette:





Color Palette:

Body Color: **CREAM**

INSPIRED BY NATURE

1200x1600 mm

[⊥] 15 mm Thickness

DYNO ROYAL



SMART MARBLE











INDOOR WALL OUTDOOR FLOOR





SMART MARBLE

Applications :











INSPIRED BY NATURE

1200x1600 mm

[⊥] 15 mm Thickness

MARMI BRECCIA















Color Palette:


Body Color: **CREAM**

INSPIRED BY NATURE

1200x1600 mm

 $\stackrel{\downarrow}{\uparrow}$ 15 mm Thickness

Novana Beige













INDOOR WALL OUTDOOR FLOOR OUTDOOR W





1200x1600 mm

[→] **15 mm** Thickness

TERRAZZO BEIGE








SMART MARBLE











Color Palette: Body Color: CREAM





1200x1600 mm

[⊥] 15 mm Thickness

TRAVENTINO ROYAL





SMART MARBLE

Applications :











Body Color: CREAM

Color Palette:





1200x1600 mm

 $^{\perp}$ **15 mm** Thickness

TROPICANA CREMA



SMART MARBLE









INDOOR WALL OUTDOOR FLOOR OUTDOOR








1200x1600 mm

 $\stackrel{\downarrow}{\uparrow}$ **15 mm** Thickness

ACRON GREY





SMART MARBLE

Applications :










Color Palette:

Body Color: **GREY**

INDOOR WALL OUTDOOR FLOOR





1200x1600 mm

[⊥] 15 mm Thickness

ARMANI GREY








SMART MARBLE











Color Palette: Body Color: **GREY**





1200x1600 mm

[⊥] 15 mm Thickness

BRECCIA SILVER







SMART MARBLE











Color Palette: Body Color: **GREY**





1200x1600 mm

[⊥] 15 mm Thickness

BRONZETTO GREY








SMART MARBLE


Applications :











Body Color: **GREY**

Color Palette:





1200x1600 mm

 $\stackrel{\downarrow}{\uparrow}$ **15 mm** Thickness

NOVANA GREY





SMART MARBLE











Color Palette: Body Color: **GREY** INDOOR WALL OUTDOOR FLOOR



1200x1600 mm

[⊥] 15 mm Thickness

WILLIAM GREY







SMART MARBLE

Applications :











Color Palette: Body Color: **GREY**





1200x1600 mm

Color Palette:

Body Color: WHITE

[⊥] 15 mm Thickness

ARABESCATO GOLD







SMART MARBLE















1200x1600 mm

± 15 mm Thickness

LEVIN NATURAL







SMART MARBLE

Applications :












Color Palette:

Body Color: WHITE







1200x1600 mm

[→] **15 mm** Thickness

SEAMLESS STATUARIO







SMART MARBLE












Color Palette: Body Color: WHITE







1200x1600 mm

 $\stackrel{\downarrow}{\uparrow}$ **15 mm** Thickness

STATUARIO GOLD







SMART MARBLE











Color Palette: Body Color: WHITE





1200x1600 mm

[→] **15 mm** Thickness

STATUARIO PEARL








SMART MARBLE













1200x1600 mm

[⊥] 15 mm Thickness

TROPICANA WHITE



SMART MARBLE
















1200x1600 mm

[→] **15 mm** Thickness

CRYSTAL ONYX







SMART MARBLE

Applications :











Color Palette:

Body Color: WHITE





PACKING DETAILS

TILE SIZE	THICKNESS (approx.)	NO.OF TILES/BOX	WEIGHT/BOX (approx.)	COVERAGE AREA
1200 X 1600	15 MM	1 Pcs	67kg	20.67 Sq. Ft.

TECHNICAL SPECIFICATION

CHARACTERISTICS	STANDARD AS PER ISO-13006/En14411 GROUP	VALUES	TEST METHOD
	REGULATORY P	ROPERTIES	•
Deviation in Length & Width	0.50%	0.20%	ISO - 10545-2
Deviation in Thickness	0.50%	0.50%	ISO - 10545-2
Straightness of Sides	0.50%	0.20%	ISO - 10545-2
Rectangularity	0.50%	0.20%	ISO - 10545-2
Surface Flatness	0.50%	0.20%	ISO - 10545-2
Color Difference	Unaltered	No Change	ISO - 10545-16
Glossiness	As per Mfg.	>90%	Glossmeter
	STRUCTURAL P	ROPERTIES	
Water Absorption	<0.05%	<0.05%	ISO - 10545-3
Apparent Density	>2.00 g/cc	>2.10 g/cc	DIN 51082
	MASSIVE MECHANIC	AL PROPERTIES	
Modulus of Repture	Min 35N/MM2	Min 40N/MM2	ISO - 10545-4
Breaking Strength	Min. 1300 N	Min. 2000 N	ISO - 10545-4
Impact Resistance	As per Mfg.	Min. 0.55	ISO - 10545-5
	SURFACE MECHANIC	AL PROPERTIES	
Surface Abrasion Resistance	As per Mfg.	Min. class 3	ISO - 10545-7
Moh's Hardness	As per Mfg.	Min. class 4	EN 101
	THERMO HYGROMETI	RIC PROPERTIES	
Frost Resistance	No Damage	No Damage	ISO - 10545-12
Thermal Shock Resistance	No Damage	No Damage	ISO - 10545-09
Moisture Expansion	Nil	Nil	ISO - 10545-10
Thermal Expansion	Max 9.0x10 -6	Max 6.5x10 -6	ISO - 10545-08
Crazing Resistance	As per Mfg.	Min 10 Cycle	ISO - 10545-11
	CHEMICAL PRO	OPERTIES	
Chemical Resistance	No Damage	No Damage	ISO - 10545-13
Stain Resistance	Resistant	Resistant	ISO - 10545-14

As per Mfg.

As per Mfg.

>0.40

Fire Proof

ISO - 10545-17

Slip Resistance

Fire Resistance



Bansiyi Overseas LLP

223- Pacific Business Park, 8A Kandla National Highway, Nr. The Fern Residency Hotel, Morbi-2, (363642), Gujarat, INDIA

FOR SALES INQUIRY:

info@andreaceramic.com sales@andreaceramic.com

CONTACT:

+91 97129 89419

WEBSITE:

www.andreaceramic.com