




# WHAT IS SMART MARBLE?

STRENGTH PLUS LIGHTNESS, VERY LARG SIZES

An innovative and Italian quality porcelain slabs, ideal for kitchen countertops, bathroom countertops, furniture, flooring and wall applications. The perfect combination of quality and wide collections of texture surface like marble, stone, wood,








NEW PRODUCTION TECHNOLOGIES BRING UP THE CHALLANGE OF CREATING MATERIALS CAPABLE OF SHAPING THE SPACE TECHNICALLY AND ESTHETICLY IN AN EFFICIENT WAY.

The answer of lbis is smart marble, a brand born to provide advanced solutions to architecture and interior design. Materials that offer unlimited versatility in all fields of construction funding design are.

### **FEATURES**

_					
3/	₩	80	1	P	*
HICHLY UV RESISTANT	RESISTANT TO SCRATCHES	WATERPROOF	RESISTANCE TO CHEMICAL ATTACK	LIGHTNESS	LIGHTNESS
*	Š.	43	(m)	*	
FROST RESISTANCE	RESISTANT TO STAINS	RECYCLABLE	EASY TO CLEAN	FIREPROOF	





### VISIONARY DESIGN

lbis is the perfect combination of visionary design and technological performance, a creative partner anywhere in the world for any type of architectural project requiring distinction through unique, recognizable style.

## INDUSTRIAL EXPERTISE FOR TECHNICAL PERFECTION

From inception of an idea to manufacturing it to perfection, Ibis possesses staggering industrial expertise for technical execellence. At Ibis, excellence is the only standard that we maintain.

## INNOVATION FOR TOP ARCHITECTURE

lbis stands for innovation that elevates architecture to a rare art form. It leverages design features in such a fashion that architects are able to unleash their creativity and give shape to spaces in an unhindered way. Ibis provides unparalleled innovation quotient for subhitecture. Of Braidel.

### INSPIRING DESIGNERS

The visionary design philosophy propels us towards the consortium of designers who are looking to push the frontiers of design. We collaborate with designers o international repute and provide the impetus for









Different tones of cream, in line with warmer personalities. You can have beautiful spaces that embrace and create a home. We have marbles with great decorative possibilities that never fail. Some are calmer, other are more innovative. They are all beautiful and create a great range of radiant begies that shine with their own light.
































6 MM, 9 MM

1200X1200MN

EFFECT

MARBLE










Scintillating and yet serene. There marbles encompass the core of style, finess and majesty.








### TECHNICAL SPECIFICATION

CHARACTERISTICS	STANDARD AS PER ISO-13006/En14411 GROUP	VALUES	TEST METHOD
	REGULATORY PR	OPERTIES	
Deviation in Lenth & Width	0.50%	0.20%	ISO - 10545-2
Deviation in Thickness	0.50%	0.50%	ISO - 10545-2
Straightness of Sides	0.50%	0.20%	ISO - 10545-2
Rectangularity	0.50%	0.20%	ISO - 10545-2
Surface Flatness	0.50%	0.20%	ISO - 10545-2
Color Difference	Unaltered	No Change	ISO - 10545-16
Glossiness	As per Mfg.	>90%	Glossmeter
	STRUCTURAL PR	OPERTIES	
Water Absorption	<0.05%	<0.05%	ISO - 10545-3
Apparent Density	>2.00 g/cc	>2.10 g/cc	DIN 51082
	MASSIVE MECHANICA		
Modulus of Repture	Min 35N/MM2	Min 40N/MM2	ISO - 10545-4
Breaking Strength	Min. 1300 N	Min. 2000 N	ISO - 10545-4
Impact Resistance	As per Mfg.	Min. 0.55	ISO - 10545-5
	SURFACE MECHANICA	AL PROPERTIES	
Surface Abrasion Resistance	As per Mfg.	Min. class 3	ISO - 10545-7
Moh's Hardness	As per Mfg.	Min. class 4	EN 101
*	THERMO HYGROMETR	HC PROPERTIES	
Frost Resistance	No Damage	No Damage	ISO - 10545-12
Thermal Shock Resistance	No Damage	No Damage	ISO - 10545-09
Moisture Expansion	NiL	Nil	ISO - 10545-10
Thermal Expansion	Max 9.0x10 -6	Max 6.5x10 -6	ISO - 10545-08
Crazing Resistance	As per Mfg.	Min 10 Cycle	ISO - 10545-11
	CHEMICAL PRO	PERTIES	
Chemical Resistance	No Damage	No Damage	ISO - 10545-13
Stain Resistance	Resistant	Resistant	ISO - 10545-14
	SAFETY PROP	ERTIES	
Slip Resistance	As per Mfg.	>0.40	ISO - 10545-17
Fire Resistance	As per Mfg.	Fire Proof	N.A.

## PACKING DETAIL

SIZE (in mm)	THICKNESS APPROX	PIECES / PER BOX	COVERAGE AREA IN SQ. FT	BOX WEIGHT ( APPROX. )
1200x1200 MM	9 MM	2	31	61



#### HANDLING SLAF

Extra large format slabs arrive in oversized crates, which require specific harding equipment. To prevent damage from occurring during forbillt operation, specific fork sizes me be used. For exemple, to handle a crate of 135cm x 305cm tile from the side, 112cm/ 44\* long forks are recommended.

To handle the same crate from the narrow end requires forks that are at least 213cm/ 84" long. Lifting multiple crates with longs forks may require forklifts with a greater lift capacity.

specialised tools and equipment are currently available for the handling and installation of large porcelain surfaces. Innovati trowels with unsure notch configurations can help increase to consistence of the matter consistence on the back of the tibe.





#### AND INC COMPMENT















#### MECHANICAL FIXING EQUIPMEN





