



Andrea[®]
We Garnish The Architect



Exceeding The Limits To Always Get The Best

800x2400 MM



CONNECTING THE VALUE OF SLAB

Legacy

Elevating classic style for today's Homeowner.

New Lifestyle

Leading edge design and innovation.

Heritage

Modernist



CONTINUA+ LAMGFA SYSTEM Lamina

CONTINUA+ is the most efficient, highest-productivity technology for the accurately managed manufacture of ceramic slabs and tiles, also producible with traditional bodies. The slabs are, in fact, formed without using a traditional press or mould, ensuring maximum flexibility in terms of size and thickness.



CONTINUA+ seamlessly integrates the powder forming phase and subsequent digital decoration. The key strengths of this exclusive process are high quality texturing and unrivalled surface shine.


PRODUCT
Formats



The thicknesses are one of the most important elements characterizing.

15 mm is set aside for the most demanding product applications such as kitchen countertops.

EDGE Profiles



Double straight rounded edge



Rounded straight edge




Half bullnose




Full bullnose




Demi bullnose



Micro bevel



Straight squared edge



Double straight squared edge



Rounded edge at 45°



Squared edge at 45°

Giving a nice trim to the edges of the tiles adds to its beauty.

As these tiles are of the good thickness of 15mm, it is possible to shape its edges in different styles and create aesthetically rich countertops for your space.

JOINT POSSIBILITIES



Birds beak




45° corner




Soft corner



White



Black




Our collections offer professional-grade performance while seamlessly blending the latest innovations with a premium design aesthetic that is crafted with authentic, high-quality materials.

The Functionality of
The Residential Kitchen

Elevating Classic Style
for Today's Homeowner

Leading Edge Design
and Innovation

PRODUCT Range



PRODUCT Finishes

CARVING

Carving effect not only provides a depth effect to your flooring but also adds a shining effect.

GLOSSY

Glossy is an optical property which indicates how well a surface reflects light in a specular (mirror-like) direction.

MATT

A matte finish with a light layer of enamel for subtle shine and a pleasantly soft touch. Surface finish which is easy to clean.



APPLICATION Areas

KITCHEN COUNTERTOP



DINING TABLE



LIVING ROOM



FURNITURE



STAIRCASE



OFFICE TABLE



TABLE TOP



DOOR \ WINDOW
FRAME



TECHNICAL Features

LIGHTWEIGHT



WATERPROOF



RESISTANT TO SCRATCHES



RESISTANT TO
HIGH
TEMPERATURES



EASY TO CLEAN



RESISTANT TO BENDING



100% NATURAL



RECYCLABLE



HYGIENIC



RESISTANT TO UV RAYS





ROCK BLACK

BODY
COLOR BODY

FINISH
CARVING

SIZE
800x2400 MM

THICKNESS
15 MM



ROCK GREY

BODY
COLOR BODY

FINISH
CARVING

SIZE
800x2400 MM

THICKNESS
15 MM



ROCK WHITE

BODY
COLOR BODY

FINISH
CARVING

SIZE
800x2400 MM

THICKNESS
15 MM



SPARKLE BLACK

BODY
COLOR BODY

FINISH
CARVING

SIZE
800x2400 MM

THICKNESS
15 MM




SPARKLE GREY

BODY
COLOR BODY

FINISH
CARVING

SIZE
800x2400 MM

THICKNESS
15 MM




SPARKLE WHITE

BODY
COLOR BODY

FINISH
CARVING

SIZE
800x2400 MM

THICKNESS
15 MM



DESERT GOLD

BODY
FULL BODY

FINISH
GLOSSY & MATT

SIZE
800x2400 MM

THICKNESS
15 MM



ESSEL BROWN

BODY
FULL BODY

FINISH
GLOSSY & MATT

SIZE
800x2400 MM

THICKNESS
15 MM



JET BLACK GLAZE

BODY
FULL BODY

FINISH
GLOSSY & MATT

SIZE
800x2400 MM

THICKNESS
15 MM



JET BLACK

BODY
FULL BODY

FINISH
GLOSSY & MATT

SIZE
800x2400 MM

THICKNESS
15 MM



PEARL WHITE

BODY
FULL BODY

FINISH
GLOSSY & MATT

SIZE
800x2400 MM

THICKNESS
15 MM



ROYAL QUARTZITE

BODY
FULL BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM




SAGA WHITE

BODY
FULL BODY

FINISH
GLOSSY & MATT

SIZE
800x2400 MM

THICKNESS
15 MM



SCABAS

BODY
FULL BODY

FINISH
GLOSSY & MATT

SIZE
800x2400 MM

THICKNESS
15 MM



TERAZZO BLACK FLAKES

BODY
FULL BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM



TERAZZO BLACK SALT AND PEPPER

BODY
FULL BODY

FINISH
GLOSSY & MATT

SIZE
800x2400 MM

THICKNESS
15 MM



TERAZZO BROWN FLAKES

BODY
FULL BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM



TERAZZO BROWN SALT AND PEPPER

BODY
FULL BODY

FINISH
GLOSSY & MATT

SIZE
800x2400 MM

THICKNESS
15 MM



TERAZZO IVORY SALT AND PEPPER

BODY
FULL BODY

FINISH
GLOSSY & MATT

SIZE
800x2400 MM

THICKNESS
15 MM



TERAZZO VERDE SALT AND PEPPER

BODY
FULL BODY

FINISH
GLOSSY & MATT

SIZE
800x2400 MM

THICKNESS
15 MM



TERAZZO GREY SALT AND PEPPER

BODY
FULL BODY

FINISH
GLOSSY & MATT

SIZE
800x2400 MM

THICKNESS
15 MM



WALL STREET GREY

BODY
FULL BODY

FINISH
GLOSSY & MATT

SIZE
800x2400 MM

THICKNESS
15 MM




DYNAMIC GOLD

BODY
BLACK BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM




LEMURIAN BLUE

BODY
BLACK BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM



AMBRATO GOLD PLAZMA

BODY
BLACK BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM



BLACK PEARL

BODY
BLACK BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM




BLUE PEARL

BODY
BLACK BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM




EMERALD PEARL

BODY
BLACK BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM




FOREST GREEN

BODY
BLACK BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM



GOLDEN PORTORO

BODY
BLACK BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM




LABRADOR BLACK

BODY
BLACK BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM



LOURENT GOLD

BODY
BLACK BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM




MARQUINA BLACK

BODY
BLACK BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM



PORTORO BLACK

BODY
BLACK BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM



ROSE BLACK

BODY
BLACK BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM




WHITE SANTORINI

BODY
WHITE BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM




APUANE STATUARIO

BODY
WHITE BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM




ARABESCATO GOLD

BODY
WHITE BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM



CALCATA ELITE

BODY
WHITE BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM



CALCUTTA GOLD

BODY
WHITE BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM



CRYSTAL ONYX

BODY
WHITE BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM




IMPERIAL WHITE

BODY
WHITE BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM



LILAC GOLD

BODY
WHITE BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM



MARBLE VOLAKAS

BODY
WHITE BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM




PEBBLE WHITE

BODY
WHITE BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM




STATUARIO CALACATTA

BODY
WHITE BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM



STATUARIO LUCIDATO

BODY
WHITE BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM



STATUARIO PEARL

BODY
WHITE BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM



TERRAZO WHITE

BODY
WHITE BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM

Technical Specification

CHARACTERISTIC	STANDARD AS PER ISO13006:2018/ EN14411 Gr.Bla	MEAN VALUE OF	TEST METHOD
Regulatory Properties Deviation in			
Length and Width	± 0.30 % (±1.00mm)	± 0.10 % ± 5.00 % ±	ISO 10545-2 ISO
Deviation in Thickness	± 5.00 % (±0.50mm)	0.10 % ± 0.10% ±	10545-2 ISO
Straightness in Side	± 0.30 % (±0.80mm)	0.50 % ± 0.50 % ±	10545-2 ISO
Rectangularity	± 0.30 % (±1.50mm)	0.50 % > 95%	10545-2 ISO
Surface Flatness Central Curvature	± 0.40 % (±1.80mm)	defects free ΔE <	10545-2 ISO
Surface Flatness Edge Curvature	± 0.40 % (±1.80mm)	0.30 Gloss Value>	10545-2 ISO
Surface Flatness Warpage	± 0.40 % (±1.80mm)	90 3 <Gloss	10545-2 ISO
Surface Quality	> 95% defects free	Value<7 7<Gloss	10545-2 ISO
Small Color Difference(for Plain Colour)	ΔE < 1.00 as per	Value<18	10545-16 Gloss
Glossiness (Polished)	mfg. as per mfg. as		Meter 60° Gloss
Glossiness (Matt)	per mfg.		Meter 60° Gloss
Glossiness (Satin/Posh)			Meter 60°
Structural Properties Water absorption			
Bulk density Massive Mechanical	≤ 0.50 %	≤ 0.060 %	ISO 10545-3
Properties Modulus of rupture Breaking	as per mfg.	Min. 2.28 g/cc	ISO 10545-3
strength thickness <7.5 Breaking			
strength thickness ≥7.5 Breaking	Min. 35.0 N/mm ²	Min. 42.0	ISO 10545-4
strength thickness ≥(175.5mm)	Min. 700.0 N	N/mm ² Min.	ISO 10545-4
Surface Mechanical Properties			
MOH'S hardness #	Min. 1300.0 N	1000.0 N Min.	ISO 10545-4
Surface abrasion resistance #	Min. 1300.0 N	1800.0 N Min.	ISO 10545-4
Deep abrasion resistance #		7500.0 N	
Thermal Hydrometric Properties			
Moisture expansion	as per mfg.	Glossy Min. 4*/ Posh Min. 6	BS EN 15771
Thermal expansion(COE) at 100°C	as per mfg.	Glossy Min. 2/ Posh Min. 3	ISO 10545-7
Thermal shock resistance	Max. 175m ³ m	Max. 132mm ³	ISO 10545-6
Impact resistance(COR) #	Max. 0.06%(0.6mm/m)	Max. 0.02mm/m	ISO 10545-10
Frost resistance	as per mfg.	Max. 6.0 x 1-06	ISO 10545-8
Chemical Properties			
Resistance to staining glazed	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-9
Resistance to household chemicals & swimming pool salts glazed	Min. 0.55	Min. 0.55	ISO 10545-5
Resistance to low concentrate acid and alkalis glazed	as per mfg.	Frost Proof	ISO 10545-12
Resistance to high concentrate acid	Min. Class 3	Min. Class 4	ISO 10545-14
and alkalis glazed	Min. Class GB	Min. Class GA	ISO 10545-13
Safety Properties	as per mfg.	Min. Class GLB**	ISO 10545-13
Skid resistance(DCOF-DRY) ##	as per mfg.	Min. Class GHB**	ISO 10545-13
Slip resistance(DCOF)(R value) ##			
Fire resistance	as per mfg.	Glossy P0(¹²) / Posh ≥P1(¹²⁻²⁴)	BS 7976-2
	mfg. as per mfg.	R9 to R13	DIN 51130
	as per mfg.	Fire Proof	N.A.

* With Nano polished ** Except Hydrofluoric Acid & it's compound # Tiles Intended for use on floor ## As per customer requirement

Packing Details

PRODUCT	BODY	SIZE	THICKNESS	TILES / BOX	COVERAGE AREA / BOX	WEIGHT (Kgs)
Carving	Color Body	800x2400m	15mm	1pc	20.67 Sq ft	67 Kgs
Glossy & Matt	Full Body	m	15mm	1pc	20.67 Sq ft	67 Kgs
Glossy	Color Body	800x2400mm	15mm	1pc	20.67 Sq ft	67 Kgs
		800x2400mm				

Cleaning & Maintenance

Our products are non porous (due to their high quality raw materials, stringent production parameters and state of the art technology), hence any dust or deposited waste cannot penetrate the surface.

For most cases only a damp cloth is sufficient for cleaning.

Regular cleaning highlights the aesthetic features of the surface and gives it exceptional shine.

For highly aggressive cleaning caused by some common food and substances follow the table below.

TYPE OF STAIN	CHEMICAL PRODUCT	EXAMPLE
Grease	Alkaline - Solvent	Detergent Ammonia, Backing Soda
Oil	Solvent Oxidant -	Alcohol, Liquid Bleach, Nail Paint
Ink	Solvent Acid Acid	Remover Hydrochloric Acid, Vinegar, Red
Rust	Acid Alkaline	Harpic Descaling Reagent, Hydro Chloric
Lime	Alkaline - Solvent	Acid Hydro Chloric Acid Ammonia, Liquid
Cement	Solvent Acid	Bleach Ammonia, Liquid Bleach Alcohol,
Wine	Solvent Oxidant	Thinner Hydro Chloric Acid Alcohol,
Coffee	Oxidant Alkaline	Thinner Liquid Bleach Liquid Bleach
Rubber		Liquid Bleach
Plaster		
Candle Wax		
Iodine		
Blood		
Ice Cream		

Note: It is recommended that any kind of stain needs to get clean immediately / as soon as possible.



Bansiyi Overseas LLP (BOL)



Regd. Office Address

18 & 19, Ground Floor, Pacific business Park, 8A Kandla National Highway, Below The Fern Residency Hotel, Morbi-2 (363642), Gujarat, India.

Overseas Address

17-1529, 71st Ave W, Vancouver V6P3B9, Canada.

 bansiyioverseas@andreaceramic.com

 +91 9313804970

 www.andreaceramic.com