

[www.andreaceramic.com](http://www.andreaceramic.com)



**Andrea**<sup>®</sup>  
We Garnish The Architect



**Bansiya Overseas LLP (BOL)**



Andrea<sup>®</sup>  
We Garnish The Architect




Exceeding The Limits To Always Get The Best

800x2400 MM



## CONNECTING THE VALUE OF SLAB



CONTINUA+ is the most efficient, highest-productivity technology for the accurately managed manufacture of ceramic slabs and tiles, also producible with traditional bodies. The slabs are, in fact, formed without using a traditional press or mould, ensuring maximum flexibility in terms of size and thickness.

Legacy

Elevating classic style for today's Homeowner.

New Lifestyle

Leading edge design and innovation.



Heritage

Modernist



CONTINUA+ seamlessly integrates the powder forming phase and subsequent digital decoration. The key strengths of this exclusive process are high quality texturing and unrivalled surface shine.


**PRODUCT**  
Formats



The thicknesses are one of the most important elements characterizing.

15 mm is set aside for the most demanding product applications such as kitchen countertops.

# EDGE Profiles




Double straight rounded edge



Rounded straight edge




Half bullnose



Full bullnose



Demi bullnose



Micro bevel



Straight squared edge



Double straight squared edge



Rounded edge at 45°



Squared edge at 45°

Giving a nice trim to the edges of the tiles adds to its beauty.

As these tiles are of the good thickness of 15mm, it is possible to shape its edges in different styles and create aesthetically rich countertops for your space.

## JOINT POSSIBILITIES



Birds beak



45° corner



Soft corner






Our collections offer professional-grade performance while seamlessly blending the latest innovations with a premium design aesthetic that is crafted with authentic, high-quality materials.

The Functionality of  
The Residential Kitchen


Elevating Classic Style  
for Today's  
Homeowner

Leading Edge Design  
and Innovation


White



Black



## PRODUCT Range



## PRODUCT Finishes

### CARVING

Carving effect not only provides a depth effect to your flooring but also adds a shining effect.

### GLOSSY

Glossy is an optical property which indicates how well a surface reflects light in a specular (mirror-like) direction.

### MATT

A matte finish with a light layer of enamel for subtle shine and a pleasantly soft touch. Surface finish which is easy to clean.



## APPLICATION Areas

KITCHEN COUNTERTOP



DINING TABLE



LIVING ROOM



FURNITURE



STAIRCASE



OFFICE TABLE



TABLE TOP



DOOR \ WINDOW  
FRAME



## TECHNICAL Features

LIGHTWEIGHT



WATERPROOF



RESISTANT TO SCRATCHES



RESISTANT TO  
HIGH  
TEMPERATURES



EASY TO CLEAN



RESISTANT TO BENDING



100% NATURAL



RECYCLABLE




HYGIENIC



RESISTANT TO UV RAYS







**ROCK BLACK**

**BODY**  
color **BODY**

**FINISH**  
carving

**SIZE**  
800x2400 MM

**THICKNESS**  
15 MM



**ROCK GREY**

**BODY**  
color **BODY**

**FINISH**  
carving

**SIZE**  
**800x2400 MM**

**THICKNESS**  
**15 MM**



**ROCK WHITE**

**BODY**  
color **BODY**

**FINISH**  
carving

**SIZE**  
800x2400 MM

**THICKNESS**  
15 MM



**SPARKLE BLACK**

**BODY**  
color **BODY**

**FINISH**  
carving

**SIZE**  
**800x2400 MM**

**THICKNESS**  
**15 MM**




**SPARKLE GREY**

**BODY**  
color **BODY**

**FINISH**  
carving

**SIZE**  
800x2400 MM

**THICKNESS**  
15 MM




**SPARKLE white**

**BODY**  
color **BODY**

**FINISH**  
carving

**SIZE**  
800x2400 MM

**THICKNESS**  
15 MM



**DESERT GOLD**

**BODY**  
full BODY

**FINISH**  
glossy & matt

**SIZE**  
800x2400 MM

**THICKNESS**  
15 MM



**ESSEL BROWN**

**BODY**  
full BODY

**FINISH**  
glossy & matt

**SIZE**  
800x2400 MM

**THICKNESS**  
15 MM





**JET BLACK GLAZE**

**BODY**  
full BODY

**FINISH**  
glossy & matt

**SIZE**  
800x2400 MM

**THICKNESS**  
15 MM




**JET BLACK**

**BODY**  
**full BODY**

**FINISH**  
**glossy & matt**

**SIZE**  
**800x2400 MM**

**THICKNESS**  
**15 MM**



**PEARL WHITE**

**BODY**  
**full BODY**

**FINISH**  
**glossy & matt**

**SIZE**  
**800x2400 MM**

**THICKNESS**  
**15 MM**



**ROYAL QUARTZITE**

**BODY**  
**full BODY**

**FINISH**  
**glossy**

**SIZE**  
**800x2400 MM**

**THICKNESS**  
**15 MM**



**SAGA WHITE**

**BODY**  
**full BODY**

**FINISH**  
**glossy & matt**

**SIZE**  
**800x2400 MM**

**THICKNESS**  
**15 MM**



**SCA BAS**

**BODY**  
**full BODY**

**FINISH**  
**glossy & matt**

**SIZE**  
**800x2400 MM**

**THICKNESS**  
**15 MM**



**TERAZZO BLACK FLAKES**

**BODY**  
**full BODY**

**FINISH**  
**glossy**

**SIZE**  
**800x2400 MM**

**THICKNESS**  
**15 MM**



**TERAZZO BLACK SALT aNd PEPPER**

**BODY**  
**full BODY**

**FINISH**  
**glossy & matt**

**SIZE**  
**800x2400 MM**

**THICKNESS**  
**15 MM**





**TERAZZO BROWN FLAKES**

**BODY**  
full BODY

**FINISH**  
glossy

**SIZE**  
800x2400 MM

**THICKNESS**  
15 MM



**TERAZZO BROWN SALT aNd PEPPER**

**BODY**  
**full BODY**

**FINISH**  
**glossy & matt**

**SIZE**  
**800x2400 MM**

**THICKNESS**  
**15 MM**



**TERAZZO IVORY SALT and PEPPER**

**BODY**  
**full BODY**

**FINISH**  
**glossy & matt**

**SIZE**  
**800x2400 MM**

**THICKNESS**  
**15 MM**



**TERAZZO VERDE SALT and PEPPER**

**BODY**  
**full BODY**

**FINISH**  
**glossy & matt**

**SIZE**  
**800x2400 MM**

**THICKNESS**  
**15 MM**



**TERAZZO grey SALT and PEPPER**

**BODY**  
**full BODY**

**FINISH**  
**glossy & matt**

**SIZE**  
**800x2400 MM**

**THICKNESS**  
**15 MM**




**WALL STREET GREY**

**BODY**  
full BODY

**FINISH**  
glossy & matt

**SIZE**  
800x2400 MM

**THICKNESS**  
15 MM




**DYNAMIC GOLD**

**BODY**  
**black BODY**

**FINISH**  
**glossy**

**SIZE**  
**800x2400 MM**

**THICKNESS**  
**15 MM**



**LEMURIAN BLUE**


**BODY**  
**black BODY**

**FINISH**  
**glossy**

**SIZE**  
**800x2400 MM**

**THICKNESS**  
**15 MM**





**AMBRATO GOLD PLAZMA**

**BODY**  
**black BODY**

**FINISH**  
**glossy**

**SIZE**  
**800x2400 MM**

**THICKNESS**  
**15 MM**




**BLACK PEARL**

**BODY**  
**black BODY**

**FINISH**  
**glossy**

**SIZE**  
**800x2400 MM**

**THICKNESS**  
**15 MM**




**BLUE PEARL**

**BODY**  
**black BODY**

**FINISH**  
**glossy**

**SIZE**  
**800x2400 MM**

**THICKNESS**  
**15 MM**




**EMERALD PEARL**

**BODY**  
**black BODY**

**FINISH**  
**glossy**

**SIZE**  
**800x2400 MM**

**THICKNESS**  
**15 MM**




**FOREST GREEN**

**BODY**  
**black BODY**

**FINISH**  
**glossy**

**SIZE**  
**800x2400 MM**

**THICKNESS**  
**15 MM**



**GOLDEN PORTORO**

**BODY**  
**black BODY**

**FINISH**  
**glossy**

**SIZE**  
**800x2400 MM**

**THICKNESS**  
**15 MM**




**LABRADOR BLACK**

**BODY**  
**black BODY**

**FINISH**  
**glossy**

**SIZE**  
**800x2400 MM**

**THICKNESS**  
**15 MM**



Lourent gold

BODY  
**black BODY**

FINISH  
**glossy**

SIZE  
**800x2400 MM**

THICKNESS  
**15 MM**






**MARQUINA BLACK**

**BODY**  
cbolalocrk BODY

**FINISH**  
glossy

**SIZE**  
800x2400 MM

**THICKNESS**  
15 MM



**PORTORO BLACK**

**BODY**  
**black BODY**

**FINISH**  
**glossy**

**SIZE**  
**800x2400 MM**

**THICKNESS**  
**15 MM**



**ROSE BLACK**

**BODY**  
**black BODY**

**FINISH**  
**glossy**

**SIZE**  
**800x2400 MM**

**THICKNESS**  
**15 MM**



**WHITE SANTORINI**

**BODY**  
**white BODY**

**FINISH**  
**glossy**

**SIZE**  
**800x2400 MM**

**THICKNESS**  
**15 MM**



**APUANE STATUARIO**

**BODY**  
**white BODY**

**FINISH**  
**glossy**

**SIZE**  
**800x2400 MM**

**THICKNESS**  
**15 MM**



**ARABESCATO GOLD**

**BODY**  
**white BODY**

**FINISH**  
**glossy**

**SIZE**  
**800x2400 MM**

**THICKNESS**  
**15 MM**



**CALCATTÀ ELITE**

**BODY**  
**white BODY**

**FINISH**  
**glossy**

**SIZE**  
**800x2400 MM**

**THICKNESS**  
**15 MM**



**CALCUTTA GOLD**


**BODY**  
**white BODY**

**FINISH**  
**glossy**

**SIZE**  
**800x2400 MM**

**THICKNESS**  
**15 MM**





**CRYSTAL ONYX**

**BODY**  
**white BODY**

**FINISH**  
**glossy**

**SIZE**  
**800x2400 MM**

**THICKNESS**  
**15 MM**



**IMPERIAL WHITE**

**BODY**  
**white BODY**

**FINISH**  
**glossy**

**SIZE**  
**800x2400 MM**

**THICKNESS**  
**15 MM**



**LILAC GOLD**

**BODY**  
**white BODY**

**FINISH**  
**glossy**

**SIZE**  
**800x2400 MM**

**THICKNESS**  
**15 MM**



# MARBLE VOLAKAS

BODY  
white BODY

FINISH  
glossy

SIZE  
800x2400 MM

THICKNESS  
15 MM




**PEBBLE WHITE**

**BODY**  
**white BODY**

**FINISH**  
**glossy**

**SIZE**  
**800x2400 MM**

**THICKNESS**  
**15 MM**



**STATUARIO CALACATTA**

**BODY**  
**white BODY**

**FINISH**  
**glossy**

**SIZE**  
**800x2400 MM**

**THICKNESS**  
**15 MM**



**STATUARIO LUCIDATO**

**BODY**  
**white BODY**

**FINISH**  
**glossy**

**SIZE**  
**800x2400 MM**

**THICKNESS**  
**15 MM**



**STATUARIO PEARL**

**BODY**  
**white BODY**

**FINISH**  
**glossy**

**SIZE**  
**800x2400 MM**

**THICKNESS**  
**15 MM**





**TERRAZO WHITE**

**BODY**  
**white BODY**

**FINISH**  
**glossy**

**SIZE**  
**800x2400 MM**

**THICKNESS**  
**15 MM**

## Cleaning & Maintenance

Our products are non porous (due to their high quality raw materials, stringent production parameters and state of the art technology), hence any dust or deposited waste cannot penetrate the surface.

For most cases only a damp cloth is sufficient for cleaning.

Regular cleaning highlights the aesthetic features of the surface and gives it exceptional shine.

For highly aggressive cleaning caused by some common food and substances follow the table below.

TYPE OF STAIN	CHEMICAL PRODUCT	EXAMPLE
Grease	Alkaline - Solvent	Detergent
Oil	Solvent	Ammonia, Baking Soda
Ink	Oxidant - Solvent	Alcohol, Liquid Bleach, Nail Paint Remover
Rust	Acid	Hydrochloric Acid, Vinegar, Red Harpic
Lime	Acid	Descaling Reagent, Hydro Chloric Acid
Cement	Acid	Hydro Chloric Acid
Wine	Alkaline	Ammonia, Liquid Bleach
Coffee	Alkaline - Solvent	Ammonia, Liquid Bleach
Rubber	Solvent	Alcohol, Thinner
Plaster	Acid	Hydro Chloric Acid
Candle Wax	Solvent	Alcohol, Thinner
Iodine	Oxidant	Liquid Bleach
Blood	Oxidant	Liquid Bleach
Ice Cream	Alkaline	Liquid Bleach

Note: It is recommended that any kind of stain needs to get clean immediately / as soon as possible.

## Technical Specification

CHARACTERISTIC	STANDARD AS PER ISO13006:2018/ EN14411 Gr.BIa	MEAN VALUE OF	TEST METHOD
<b>Regulatory Properties</b>			
Deviation in Length and Width	± 0.30 % (±1.00mm)	± 0.10 %	ISO 10545-2
Deviation in Thickness	± 5.00 % (±0.50mm)	± 5.00 %	ISO 10545-2
Straightness in Side	± 0.30 % (±0.80mm)	± 0.10 %	ISO 10545-2
Rectangularity	± 0.30 % (±1.50mm)	± 0.10%	ISO 10545-2
Surface Flatness Central Curvature	± 0.40 % (±1.80mm)	± 0.50 %	ISO 10545-2
Surface Flatness Edge Curvature	± 0.40 % (±1.80mm)	± 0.50 %	ISO 10545-2
Surface Flatness Warpage	± 0.40 % (±1.80mm)	± 0.50 %	ISO 10545-2
Surface Quality	> 95% defects free	> 95% defects free	ISO 10545-2
Small Color Difference(for Plain Colour)	ΔE < 1.00	ΔE < 0.30	ISO 10545-16
Glossiness ( Polished)	as per mfg.	Gloss Value> 90	Gloss Meter 60°
Glossiness (Matt)	as per mfg.	3 <Gloss Value<7	Gloss Meter 60°
Glossiness (Satin/Posh)	as per mfg.	7<Gloss Value<18	Gloss Meter 60°
<b>Structural Properties</b>			
Water absorption	≤ 0.50 %	≤ 0.060 %	ISO 10545-3
Bulk density	as per mfg.	Min. 2.28 g/cc	ISO 10545-3
<b>Massive Mechanical Properties</b>			
Modulus of rupture	Min. 35.0 N/mm <sup>2</sup>	Min. 42.0 N/mm <sup>2</sup>	ISO 10545-4
Breaking strength thickness <7.5	Min. 700.0 N	Min. 1000.0 N	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 1300.0 N	Min. 1800.0 N	ISO 10545-4
Breaking strength thickness ≥(175.5mm)	Min. 1300.0 N	Min. 7500.0 N	ISO 10545-4
<b>Surface Mechanical Properties</b>			
MOH'S hardness #	as per mfg.	Glossy Min. 4*/ Posh Min. 6	BS EN 15771
Surface abrasion resistance #	as per mfg.	Glossy Min. 2/ Posh Min. 3	ISO 10545-7
Deep abrasion resistance #	Max. 175m3m	Max. 132mm3	ISO 10545-6
<b>Thermal Hydrometric Properties</b>			
Moisture expansion	Max. 0.06%	Max. 0.02mm/m	ISO 10545-10
Thermal expansion(COE) at 100°C	(0.6mm/m) as per mfg.	Max. 6.0 x 1-06	ISO 10545-8
Thermal shock resistance	mfg.	Min. 10 Cycle	ISO 10545-9
Impact resistance(COR) #	Min. 10 Cycle	Min. 0.55	ISO 10545-5
Frost resistance	Min. 0.55	Frost Proof	ISO 10545-12
<b>Chemical Properties</b>			
Resistance to staining-glazed	as per mfg.		
Resistance to household chemicals & swimming pool salts glazed	Min. Class 3	Min. Class 4	ISO 10545-14
Resistance to low concentrate acid and alkalis glazed	Min. Class GB	Min. Class GA	ISO 10545-13
Resistance to high concentrate acid and alkalis glazed	as per mfg.	Min. Class GLB**	ISO 10545-13
Safety Properties		Min. Class	ISO 10545-13
Skid resistance(DCOF-DRY) ##		GHB**	
Slip resistance(DCOF)( R value) ##	as per mfg.	Glossy P0(<1 <sup>2</sup> ) / Posh ≥P1(1 <sup>2</sup> -2 <sup>4</sup> ) R9 to R1 <sup>3</sup>	BS 7976-2
Fire resistance	as per mfg.	Fire Proof	DIN 51130 N.A.

\* With Nano polished  
 \*\* Except Hydrofluoric Acid & it's compound  
 # Tiles Intended for use on floor  
 ## As per customer requirement

## Packing Details

PRODUCT	BODY	SIZE	THICKNESS	TILES / BOX	COVERAGE AREA / BOX	WEIGHT (Kgs)
Carving	Color	800x2400mm	15mm	1pc	20.67 Sq ft	67 Kgs
Glossy & Matt	Body Full	800x2400mm	15mm	1pc	20.67 Sq ft	67 Kgs
	Glossy	800x2400mm	15mm	1pc	20.67 Sq ft	67 Kgs
	Color					
	Body					



**Andrea**<sup>®</sup>  
We Garnish The Architect

## **Bansiyi Overseas LLP (BOL)**

**Address:-**

**HQ India :- 18 & 19, Ground Floor, Pacific business park, 8A Kandla National Highway, Below The Fern Residency Hotel, Morbi -2 (363642), Gujarat, India. Customer care : +91 93138 04970.  
EMAIL : bansiyioverseas@andreaceramic.com**

**Global Office Address :- L M Tech North America Inc. 1303, Johnson Street, Coquitlam, Greater Vancouver Area, British Columbia, Canada.  
EMAIL : Sales.northamerica@andreaceramic.com www.andreaceramic.com**

[www.andreaceramic.com](http://www.andreaceramic.com)